

Technical Differences between Version 10 and Previous Versions

- [Installation](#)
 - [Backup](#)
 - [File Locations](#)
 - [Handhelds](#)
-

Installation:

- [Pre-Install Checklist](#) – Steps you need to complete before installing version 10
 - Drive Mapping
 - Windows Updates
- [Post Install Checklist](#) – Steps you need to complete after installing version 10
 - Firewall Exclusions
 - Anti-Virus Exclusions
- [System Requirements](#)
 - Due to changing demands in technology, version 10 of Time Matters has more up-to-date specifications.
 - **Dedicated Server** - You can install and host the database on a machine that also functions as a workstation as long as the machine meets or exceeds the minimum [server](#) requirements on a supported version of Microsoft Windows.
 - **Enterprise Only** - Previous versions of LexisNexis Total Practice Advantage were available in two editions; Professional and Enterprise. The professional version used a file-based database. Enterprise versions used a Microsoft SQL Server database. Microsoft SQL is a more robust and stable database engine than databases that store data in files. The use of the Microsoft SQL increases stability, reliability, and speed.
 - **Microsoft SQL** - SQL (Structured Query Language) is a database computer language designed for the retrieval and management of data in relational database management systems (RDBMS), database schema creation and modification, and database object access control management. For the purposes of LexisNexis Total

Practice Advantage, the Microsoft SQL Server houses the database and controls all database transactions.

Backup:

- Backing Up Inside the Program
 - We recommend that you continue to make backups from inside the program even if you use an off-site or tape backup. This way if something were to go wrong Customer Support can assist you with restoring the backup. We may not be able to assist you with restoring a backup created in another manner.
- [Location of Backup Files](#)
- [Automatic Backups](#)

File Locations:

- [Program Directory](#)
- TMW.CFG or TMWE.CFG
 - TMCONFIG.INI replaces the CFG files from previous versions
 - TMCONFIG.INI can store up to 20 file locations
 - Each workstation has a copy of the file so you can customize each workstation
 - Location of the CFG file
 - Windows XP – [X]:\Documents and Settings\All Users\Application Data\LexisNexis\LNTPA
 - Windows Vista – [X]:\ProgramData\LexisNexis\LNTPA
 - Windows 7 – [X]:\ProgramData\LexisNexis\LNTPA
- ADMINCTL.TPS
 - ADMINCTL.INI replaces the ADMINCTL.TPS from the previous versions
 - Stores the server location, database name, and type (host or remote) for its associated CFG configuration
 - Location of the ADMINCTL.INI file
 - Windows XP – [X]:\Documents and Settings\All Users\Application Data\LexisNexis\LNTPA
 - Windows Vista – [X]:\ProgramData\LexisNexis\LNTPA
 - Windows 7 – [X]:\ProgramData\LexisNexis\LNTPA
- Shared Files Folder

- Location of Files Folder
 - Windows XP – [X]:\Documents and Settings\All Users\Documents\LexisNexis\LTNPA
 - Windows Vista – [X]:\Users\Public\Documents\LexisNexis\LTNPA
 - Windows 7 - [X]:\Users\Public\Documents\LexisNexis\LTNPA
- Tutor Data
- Index Folder
 - Windows XP – [X]:\Documents and Settings\All Users\Documents\LexisNexis\Time Matters\Index\LNDATA\TimeMatters10
 - Windows Vista – [X]:\Users\Public\Documents\LexisNexis\Time Matters\Index\LNDATA\TimeMatters10
 - Windows 7 – [X]:\Users\Public\Documents\LexisNexis\Time Matters\Index\LNDATA\TimeMatters10
- Moved Folders and Files
 - QBStore folder – Stores the QuickBooks settings
 - Lookup folder – Stores the UTBMS codes
 - Update.log – Stores import and update information
 - Email folder – Stores the email attachments stored outside the database
- LNSystem folder
 - Stores miscellaneous files that were in the data directory
 - Parse.txt
- Desktop Extensions
 - Program Folder
 - [X]:\Program Files\LexisNexis\LTNPA\desktop
 - Configuration Files
 - [X]:\Documents and Settings\[User Name]\Local Settings\Application Data\LexisNexis

Handhelds:

- Direct Synchronization
 - [BlackBerry](#)
 - [Palm](#)
 - [Pocket Outlook on a Pocket PC or Windows Mobile device](#)
- Indirect Synchronization
 - [iPhone](#)
 - Non-supported Device – [Synchronize though Outlook](#)